

OCT 28 2003

SECTION C. 510(k) Summary

In accordance with the requirements of SMDA 1990, and 21 CFR 807.92, this 510(k) Summary is provided:

Submitter: Medtronic MiniMed, 18000 Devonshire St., Northridge, CA 91325

Contact: Mirielle Mengotto (818) 576-4112

Name of Device: Medtronic MiniMed Countach Infusion set Model MMT-313


Predicate Devices: Maersk Medical A/S Paradigm Silhouette Infusion sets Models MMT-371, 372, 373 and 374 (Premarket notification K972135)

Description of the Device: The Medtronic MiniMed Countach infusion set Model MMT-313 is a disposable, single-use infusion set intended for use with Medtronic MiniMed external micro-infusion pumps. The Countach is an infusion set that uses a cannula with a disconnect.

The design will feature improved ergonomics to achieve a low profile, pre-attached adhesive system, tubing lengths, and multiple soft cannula lengths for different body types.

Intended Use of the Device: The Countach infusion set is intended for the subcutaneous infusion of medicine, including insulin, from an external infusion pump. The set is not intended nor indicated for use with blood or blood products.

Comparison of the Technological Features of the New Device and Predicate Device: The Countach infusion set is substantially similar to the lawfully marketed predicate device. Both sets are intended for subcutaneous delivery of insulin from the infusion pump to the pump user and attaches proximally to a reservoir by means of a luer connector.



Gerda Resch
Manager, Regulatory Affairs
Medtronic MiniMed



Date



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

OCT 28 2003

Ms. Mirielle Mengotto
Senior Regulatory Affairs Specialist
Medtronic MiniMed
18000 Devonshire Street
Northridge, California 91325-1219

Re: K032485

Trade/Device Name: Medtronic MiniMed Countach Infection Set Model MMT-313
Regulation Number: 880.5440
Regulation Name: Intravascular Administration Set
Regulatory Class: II
Product Code: FPA, FPK
Dated: August 1, 2003
Received: August 12, 2003

Dear Ms. Mengotto:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4618. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, appearing to read 'Chiu Lin', with a stylized flourish at the end.

Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital,

Infection Control and Dental Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

K032485

INDICATIONS FOR USE


510(k) Number:

Device Name:

Medtronic MiniMed Countach Infusion set Model MMT-313

Indications for Use:

The Countach infusion set is intended for the subcutaneous infusion of medicine, including insulin, from an infusion pump and reservoir. The set is not intended nor indicated for use with blood or blood products.



(Division Sign-Off)

Division of Anesthesiology, General Hospital,
Infection Control, Dental Devices

510(k) Number: K032485

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use ✓
(Per 21 CFR 801.109)

or

Over-the-Counter Use _____